


North Carolina



2000 HIV/AIDS Surveillance Report

HIV/STD Prevention and Care Branch
Epidemiology and Special Studies Unit

North Carolina Department of Health and Human Services
Division of Public Health



This document was revised August 24, 2001
An Affirmative Action / Equal Opportunity Employer



Preface

This report, *North Carolina 2000 HIV/AIDS Surveillance Report*, includes summary tables of surveillance reports and other information for infection with HIV (human immunodeficiency virus) and AIDS (acquired immunodeficiency syndrome). In some instances total numbers of reports may not agree between separate cross-tabulations due to missing values for some variables. Tables presenting reports by year are intended to be reports by date of receipt in the Epidemiology and Special Studies Unit office rather than by date of diagnosis unless otherwise noted. This publication along with other STD/HIV reports is available on the web site, <http://www.schs.state.nc.us/epi/hiv/surveillance.html> .

The category "HIV disease" includes all new reports of all HIV infected individuals by the date the report was received. Most of these reports are initially received as HIV infection reports, but in some instances infected individuals are reported with an AIDS diagnosis without first being reported with HIV. These AIDS reports are included in our HIV disease category since it is the first incidence of disease that we have received for that person. For example, if an individual was reported in 1995 with HIV and then reported in 1999 with an AIDS diagnosis, then this individual would *not* be counted as a new report in 1999 under HIV disease (it would be retained as a 1995 report). If another individual was reported with AIDS in 1999, but had never been reported to the health department with HIV, then this individual would be included as a new report under HIV disease (1999). Thus HIV disease includes all reports of HIV and AIDS. By contrast, separate tables or reports that summarize AIDS cases generally include all AIDS cases *by the year of report for the AIDS diagnosis*. The numbers of HIV disease reports should not be added to AIDS case totals to estimate incidence, since AIDS reports are included in both tables and the year of report reference is different. Some information is presented by the category HIV (non-AIDS). This category includes only HIV cases that have not progress to AIDS. As a way of reference to earlier publications, the category HIV disease is similar to a previously used category called "All HIV" but includes the addition of AIDS reports for individuals never reported.

Rates presented in this publication were calculated using population estimates that were available at the end of 1999 from the US Census Bureau and the NC State Demographers Office. These rates do not include data from the new 2000 year census which was unavailable at press time. Rates in this publication are presented for several categories of race/ethnicity and age groups for each disease as well as for each county. In general, rates should be viewed with caution. This is especially true of rates that are based on small numbers of cases (generally fewer than 20) because these rates have large standard errors and confidence intervals that can be wider than the rates themselves. Thus, it is important to keep in mind that rates based on small numbers of cases should be considered unstable. For a more complete discussion of rates based on small numbers, please see the North Carolina Center for Health Informatics and Statistics's publication, Statistical Primer No.12 "Problems With Rates Based on Small Numbers" by Paul Buescher. This publication is available at the web site, <http://www.schs.state.nc.us/SCHS/>

Please direct any questions or comments about the *NC 2000 HIV/AIDS Surveillance Report* to:

Epidemiology and Special Studies Unit
HIV/STD Prevention and Care Branch
Section of Human Ecology and Epidemiology
1902 Mail Service Center
Raleigh, North Carolina 27699-1902
(919) 733-7301.

NORTH CAROLINA HIV DISEASE** SURVEILLANCE REPORT								
Cumulative Through 12/31/2000								
STATUS (current known)								
	<u>LIVING</u>		<u>DECEASED</u>		<u>UNKNOWN</u>		<u>TOTAL</u>	
<u>AGE (at first report)</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>
0-4	134	1.0%	60	0.9%	0	0.0%	194	0.9%
5-12	32	0.2%	14	0.2%	0	0.0%	46	0.2%
13-19	435	3.2%	56	0.8%	0	0.0%	491	2.4%
20-29	4,028	29.2%	1291	19.3%	5	11.6%	5,324	25.9%
30-39	5,624	40.7%	2,970	44.5%	25	58.1%	8,619	42.0%
40-49	2,706	19.6%	1,601	24.0%	7	16.3%	4,314	21.0%
50 and over	847	6.1%	684	10.2%	6	14.0%	1537	7.5%
TOTAL	13,806	100%	6,676	100%	43	100%	20,525	100%
CATEGORY (at first report)								
	<u>PEDIATRIC</u>		<u>ADULT/ADOLESCENT</u>		<u>TOTAL</u>			
<u>RACE/ETHNICITY</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>		
White	42	17.5%	5430	26.8%	5,472	26.7%		
African Am. or Black	186	77.5%	14,213	70.1%	14,399	70.2%		
Am. Indian/ Al. Native	3	1.3%	167	0.8%	170	0.8%		
Asian/ Pacific Is.	0	0.0%	50	0.2%	50	0.2%		
Hispanic	7	2.9%	331	1.6%	338	1.6%		
Unknown	2	0.8%	94	0.5%	96	0.5%		
TOTAL	240	100%	20,285	100%	20,525	100%		
CATEGORY Pediatric*								
	<u>MALE</u>		<u>FEMALE</u>		<u>TOTAL</u>			
<u>EXPOSURE CATEGORY</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>		
Ped. Hemophiliac	16	12.5%	0	0.0%	16	6.5%		
Mom with/HIV or at Risk	96	75.0%	105	87.5%	201	81.0%		
Ped. Blood Product	5	3.9%	3	2.5%	8	3.2%		
Ped. Unspecified	11	8.6%	12	10.0%	23	9.3%		
TOTAL	128	100%	120	100%	248	100%		
CATEGORY Adult/Adolescent*								
	<u>MALE</u>		<u>FEMALE</u>		<u>UNKNOWN</u>		<u>TOTAL</u>	
<u>EXPOSURE CATEGORY</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>
Men Who Have Sex with Men (MSM)	5,794	39.4%	0	0.0%	0	0.0%	5,794	28.6%
Injection Drug Use (IDU)	2,797	19.0%	1,176	21.2%	0	0.0%	3,973	19.6%
MSM/IDU	927	6.3%	0	0.0%	0	0.0%	927	4.6%
Adult Hemophiliac	121	0.8%	13	0.2%	0	0.0%	134	0.7%
Heterosexual Contact	1,372	9.3%	2,118	38.1%	1	50.0%	3,491	17.2%
Blood Products	206	1.4%	167	3.0%	0	0.0%	373	1.8%
Not Specified	3,504	23.8%	2,080	37.5%	1	50.0%	5,585	27.5%
TOTAL	14,721	100%	5,554	100%	2	100%	20,277	100%
*A small number of cases were diagnosed as adults but have evidence of being HIV infected as children. They are counted as pediatric for this table.								
**includes HIV and AIDS reports by date and age at first report								

HIV Disease Cases by County of Residence at Year of First Report									
County of Residence	Year of Report								
	1983-89	1990-94	1995	1996	1997	1998	1999	2000	Total
ALAMANCE	11	100	39	11	16	7	23	19	226
ALEXANDER	1	12	1	0	1	2	2	1	20
ANSON	1	41	8	13	6	8	4	2	83
ASHE	0	0	2	0	0	1	1	0	4
AVERY	2	2	0	1	0	1	4	0	10
BEAUFORT	9	54	14	11	7	6	6	13	120
BERTIE	3	21	5	7	12	6	10	6	70
BLADEN	5	27	5	6	13	2	3	3	64
BRUNSWICK	5	44	5	9	13	6	6	7	95
BUNCOMBE	17	231	50	49	57	34	39	38	515
BURKE	5	29	7	6	6	4	6	2	65
CABARRUS	12	81	15	18	14	15	9	9	173
CALDWELL	3	35	6	7	5	0	2	1	59
CAMDEN	0	3	1	2	2	1	0	3	12
CARTERET	7	33	7	4	3	4	1	2	61
CASWELL	0	8	2	4	1	1	0	3	19
CATAWBA	9	67	15	15	14	11	6	23	160
CHATHAM	5	26	7	3	3	5	4	3	56
CHEROKEE	1	5	2	2	0	0	2	0	12
CHOWAN	2	14	3	4	3	2	2	2	32
CLAY	0	1	0	0	0	0	0	0	1
CLEVELAND	10	89	17	18	16	6	21	10	187
COLUMBUS	10	63	13	19	15	11	14	10	155
CRAVEN	14	120	20	9	10	9	23	18	223
CUMBERLAND	63	477	118	67	89	55	65	64	998
CURRITUCK	1	8	1	0	0	2	1	1	14
DARE	5	12	1	0	0	7	6	2	33
DAVIDSON	14	74	30	10	17	14	14	13	186
DAVIE	1	15	4	2	1	3	2	3	31
DUPLIN	9	57	11	11	16	12	16	6	138
DURHAM	77	669	126	100	91	96	73	88	1,320
EDGECOMBE	9	108	14	29	15	15	28	16	234
FORSYTH	72	360	171	71	99	56	124	95	1,048
FRANKLIN	6	34	8	4	8	5	9	3	77
GASTON	18	284	51	43	39	25	40	42	542
GATES	0	2	0	1	0	1	0	0	4
GRAHAM	0	0	0	2	0	0	0	0	2
GRANVILLE	8	62	14	14	11	12	11	10	142
GREENE	2	21	13	7	11	12	2	3	71
GUILFORD	73	589	266	131	101	151	135	126	1,572
HALIFAX	12	93	23	13	25	16	15	9	206
HARNETT	9	65	10	17	10	10	10	7	138
HAYWOOD	5	20	8	3	7	3	2	2	50
HENDERSON	3	38	10	9	15	8	5	6	94
HERTFORD	8	29	5	5	6	6	4	11	74
HOKE	3	26	11	18	7	7	8	5	85
HYDE	0	1	1	1	1	1	0	0	5
IREDELL	9	54	18	9	9	5	7	3	114
JACKSON	1	5	3	3	3	1	0	1	17
JOHNSTON	16	107	23	27	24	13	13	20	243
JONES	0	8	2	2	2	1	1	0	16

HIV Disease Cases by County of Residence at Year of First Report									
County of Residence	Year of Report								
	1983-89	1990-94	1995	1996	1997	1998	1999	2000	Total
LEE	2	44	9	10	7	13	15	14	114
LENOIR	6	134	31	25	31	22	22	26	297
LINCOLN	3	16	5	6	5	4	6	3	48
MACON	0	10	2	2	0	6	1	2	23
MADISON	0	4	0	5	2	2	0	1	14
MARTIN	2	26	4	9	11	1	6	7	66
MCDOWELL	4	8	4	3	3	4	2	1	29
MECKLENBURG	179	1,721	346	260	215	265	246	219	3,451
MITCHELL	1	3	2	1	2	2	0	0	11
MONTGOMERY	1	14	3	8	3	2	2	8	41
MOORE	7	46	5	10	4	12	8	11	103
NASH	13	117	26	20	16	21	24	21	258
NEW HANOVER	29	236	50	22	55	32	43	42	509
NORTHAMPTON	6	32	7	4	12	2	1	4	68
ONSLow	21	71	13	18	15	21	10	14	183
ORANGE	29	100	21	18	13	17	11	17	226
PAMLICO	3	12	0	1	2	3	0	2	23
PASQUOTANK	4	27	8	6	12	3	3	10	73
PENDER	5	34	11	2	6	0	5	0	63
PERQUIMANS	1	5	2	3	2	7	3	2	25
PERSON	1	25	9	6	5	6	3	2	57
PITT	24	236	55	61	43	42	34	27	522
POLK	1	7	3	3	2	3	2	2	23
RANDOLPH	9	33	17	8	5	6	8	8	94
RICHMOND	2	58	11	14	12	14	6	7	124
ROBESON	10	147	29	23	36	27	29	17	318
ROCKINGHAM	5	56	20	13	9	8	15	8	134
ROWAN	13	116	23	17	13	18	14	12	226
RUTHERFORD	3	30	7	8	7	7	0	9	71
SAMPSON	6	75	19	15	18	11	7	4	155
SCOTLAND	4	51	13	16	13	12	6	9	124
STANLY	1	31	5	6	5	7	7	7	69
STOKES	1	6	2	2	3	0	0	2	16
SURRY	3	13	10	3	2	2	4	1	38
SWAIN	3	9	1	0	2	2	1	1	19
TRANSYLVANIA	2	14	2	3	5	1	0	5	32
TYRRELL	0	4	0	0	1	0	0	2	7
UNION	9	58	13	10	20	8	7	7	132
VANCE	5	74	19	16	13	21	10	5	163
WAKE	154	857	181	112	148	111	156	157	1,876
WARREN	0	12	2	1	4	4	1	2	26
WASHINGTON	2	29	8	7	4	8	4	3	65
WATAUGA	3	4	1	1	0	0	1	1	11
WAYNE	24	135	28	17	21	22	27	29	303
WILKES	2	10	3	1	2	2	1	4	25
WILSON	21	152	42	28	26	20	21	27	337
YADKIN	3	3	7	1	2	2	2	2	22
YANCEY	1	2	3	2	2	0	1	0	11
MISSING	1	0	4	7	1	6	3	2	24
TOTAL	1,185	9,231	2,272	1,651	1,664	1,488	1,557	1,477	20,525

NORTH CAROLINA AIDS SURVEILLANCE REPORT								
Cumulative Through 12/31/2000								
STATUS (current known)								
	<u>LIVING</u>		<u>DECEASED</u>		<u>UNKNOWN</u>		<u>TOTAL</u>	
<u>AGE (at AIDS diagnosis)</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>
0-4	46	1.0%	49	0.9%	0	0.0%	95	0.9%
5-12	9	0.2%	13	0.2%	0	0.0%	22	0.2%
13-19	44	1.0%	37	0.6%	0	0.0%	81	0.8%
20-29	843	18.6%	1,031	17.9%	5	12.5%	1,879	18.2%
30-39	2,040	45.0%	2,624	45.6%	22	55.0%	4,686	45.4%
40-49	1,199	26.4%	1,410	24.5%	7	17.5%	2,616	25.3%
50 and over	357	7.9%	587	10.2%	6	15.0%	950	9.2%
TOTAL	4,538	100%	5,751	100%	40	100%	10,329	100%
DIAGNOSIS CATEGORY								
	<u>ADULT AIDS</u>		<u>PEDIATRIC AIDS</u>		<u>TOTAL</u>			
<u>RACE/ETHNICITY</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>		
White	3,220	31.5%	22	18.8%	3,242	31.4%		
African Am. or Black	6,648	65.1%	92	78.6%	6,740	65.3%		
Am. Indian/ Al. Native	74	0.7%	1	0.9%	75	0.7%		
Asian/ Pacific Is.	23	0.2%	0	0.0%	23	0.2%		
Hispanic	234	2.3%	2	1.7%	236	2.3%		
Unknown	13	0.1%	0	0.0%	13	0.1%		
TOTAL	10,212	100%	117	100.0%	10,329	100%		
CATEGORY Pediatric*								
	<u>MALE</u>		<u>FEMALE</u>		<u>TOTAL</u>			
<u>EXPOSURE CATEGORY</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>		
Ped. Hemophilic	14	21.5%	0	0.0%	14	11.0%		
Mom with/HIV or at Risk	46	70.8%	55	88.7%	101	79.5%		
Ped. Blood Product	4	6.2%	2	3.2%	6	4.7%		
Ped. Unspecified	1	1.5%	5	8.1%	6	4.7%		
TOTAL	65	100%	62	100%	127	100%		
CATEGORY Adult/Adolescent*								
	<u>MALE</u>		<u>FEMALE</u>		<u>TOTAL</u>			
<u>EXPOSURE CATEGORY</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>		
Men Who Have Sex with Men(MSM)	3,608	44.1%	0	0.0%	3,608	35.4%		
Injection Drug Use (IDU)	1,747	21.3%	576	28.6%	2,323	22.8%		
MSM/IDU	538	6.6%	0	0.0%	538	5.3%		
Adult Hemophilic	102	1.2%	8	0.4%	110	1.1%		
Heterosexual Contact	654	8.0%	814	40.4%	1,468	14.4%		
Blood Products	131	1.6%	77	3.8%	208	2.0%		
Not Specified	1,409	17.2%	538	26.7%	1,947	19.1%		
TOTAL	8,189	100%	2,013	100%	10,202	100%		
* A small number of cases were diagnosed as adults but have evidence of being HIV infected as children. They are counted as pediatric for this table.								

Reported Cases of AIDS and Case-Fatality Rates by Half-Year of Diagnosis				
Year of Diagnosis	Half-Year	Number of Cases	Number of Deaths	Case-fatality rate
Before 1988		596	524	88%
1988	Jan -June	182	167	92%
	July-Dec	188	167	89%
1989	Jan -June	245	206	84%
	July-Dec	276	236	86%
1990	Jan -June	309	254	82%
	July-Dec	322	252	78%
1991	Jan -June	373	310	83%
	July-Dec	413	336	81%
1992	Jan -June	509	384	75%
	July-Dec	470	326	69%
1993	Jan -June	605	411	68%
	July-Dec	484	325	67%
1994	Jan -June	535	313	59%
	July-Dec	467	277	59%
1995	Jan -June	468	234	50%
	July-Dec	407	179	44%
1996	Jan -June	481	177	37%
	July-Dec	394	136	35%
1997	Jan -June	436	99	23%
	July-Dec	339	75	22%
1998	Jan -June	380	103	27%
	July-Dec	344	75	22%
1999	Jan -June	346	66	19%
	July-Dec	306	51	17%
2000	Jan -June	326	54	17%
	July-Dec	128	14	11%
Totals		10,329	5,751	56%

AIDS Cases by County of Residence at Year of AIDS Report									
County of Residence	Year of Report								
	1983-89	1990-94	1995	1996	1997	1998	1999	2000	Total
ALAMANCE	11	53	7	9	6	4	7	8	105
ALEXANDER	1	6	0	0	0	2	0	1	10
ANSON	1	14	3	3	9	3	5	4	42
ASHE	0	0	2	0	0	0	1	0	3
AVERY	2	1	0	0	0	0	4	0	7
BEAUFORT	7	36	5	12	1	4	1	11	77
BERTIE	3	15	4	3	7	6	6	7	51
BLADEN	5	14	1	3	2	4	2	1	32
BRUNSWICK	5	26	4	6	5	3	4	4	57
BUNCOMBE	17	122	25	37	44	22	27	19	313
BURKE	5	20	5	3	2	1	2	1	39
CABARRUS	12	35	8	10	7	9	4	4	89
CALDWELL	3	12	4	4	1	1	0	1	26
CAMDEN	0	2	0	2	1	1	0	1	7
CARTERET	7	20	4	2	1	2	1	1	38
CASWELL	0	7	0	4	0	1	0	1	13
CATAWBA	9	42	10	4	6	7	3	12	93
CHATHAM	5	8	3	0	2	4	2	2	26
CHEROKEE	1	3	0	2	0	0	2	0	8
CHOWAN	1	8	1	1	1	2	1	1	16
CLEVELAND	10	28	6	5	1	4	5	3	62
COLUMBUS	10	25	3	8	11	4	8	3	72
CRAVEN	14	53	13	7	8	9	6	9	119
CUMBERLAND	63	182	35	39	31	25	29	20	424
CURRITUCK	1	4	1	2	0	0	2	0	10
DARE	5	7	1	0	0	4	3	2	22
DAVIDSON	14	48	8	8	6	6	5	4	99
DAVIE	1	5	2	3	1	1	1	3	17
DUPLIN	9	32	10	8	16	8	10	4	97
DURHAM	77	369	56	53	54	28	25	18	680
EDGECOMBE	9	51	9	17	16	10	12	7	131
FORSYTH	72	209	56	27	42	28	69	39	542
FRANKLIN	6	16	3	2	0	4	6	0	37
GASTON	18	96	11	33	22	26	21	19	246
GATES	0	0	0	2	0	1	0	0	3
GRAHAM	0	0	0	1	0	0	0	0	1
GRANVILLE	8	28	2	3	6	5	4	4	60
GREENE	2	7	2	7	10	12	3	1	44
GUILFORD	73	369	113	67	27	67	76	40	832
HALIFAX	11	42	7	10	18	8	9	4	109
HARNETT	9	34	3	7	5	5	7	4	74
HAYWOOD	5	13	5	5	2	1	1	0	32
HENDERSON	3	21	5	6	15	6	2	6	64
HERTFORD	8	12	4	2	5	4	2	12	49
HOKE	3	7	3	10	4	6	10	3	46
HYDE	0	1	1	1	2	0	0	0	5
IREDELL	9	25	9	4	6	9	4	4	70
JACKSON	1	4	2	2	1	1	0	1	12
JOHNSTON	16	44	8	10	10	6	5	13	112
JONES	0	2	0	2	0	1	2	0	7

AIDS Cases by County of Residence at Year of AIDS Report									
County of Residence	Year of Report								
	1983-89	1990-94	1995	1996	1997	1998	1999	2000	Total
LEE	2	18	3	2	2	3	5	4	39
LENOIR	6	53	18	20	21	17	12	20	167
LINCOLN	3	9	2	2	2	2	0	2	22
MACON	0	7	2	1	0	2	0	0	12
MADISON	0	2	0	2	3	2	0	0	9
MARTIN	2	9	2	6	6	3	4	3	35
MCDOWELL	4	2	2	2	6	1	4	1	22
MECKLENBURG	174	514	188	102	75	122	93	69	1,337
MITCHELL	1	2	0	0	1	0	0	0	4
MONTGOMERY	1	5	1	7	1	2	1	3	21
MOORE	7	19	4	2	1	3	5	4	45
NASH	13	62	11	12	9	16	10	9	142
NEW HANOVER	28	99	23	21	34	11	14	16	246
NORTHAMPTON	6	20	5	5	8	2	1	1	48
ONSLow	21	44	4	7	8	7	3	7	101
ORANGE	29	47	8	6	4	3	3	8	108
PAMLICO	3	7	1	1	0	0	0	2	14
PASQUOTANK	4	12	3	3	3	3	3	5	36
PENDER	5	21	7	1	3	2	3	0	42
PERQUIMANS	1	2	1	1	1	3	1	2	12
PERSON	1	11	3	2	2	1	0	0	20
PITT	24	139	31	38	33	17	19	23	324
POLK	1	6	2	2	2	3	2	0	18
RANDOLPH	9	23	8	1	2	2	3	2	50
RICHMOND	2	25	2	5	4	5	1	4	48
ROBESON	10	59	16	11	16	17	15	8	152
ROCKINGHAM	5	29	8	6	6	5	6	3	68
ROWAN	13	65	12	11	11	10	7	9	138
RUTHERFORD	3	20	6	6	6	2	1	4	48
SAMPSON	6	24	2	6	7	8	4	5	62
SCOTLAND	4	28	3	5	3	4	2	5	54
STANLY	1	10	0	1	2	4	2	2	22
STOKES	1	3	3	1	3	0	0	1	12
SURRY	3	6	8	1	0	0	1	1	20
SWAIN	3	7	1	1	1	2	2	0	17
TRANSYLVANIA	2	11	1	0	3	0	0	3	20
TYRRELL	0	2	0	0	1	0	0	1	4
UNION	9	17	6	8	13	6	2	3	64
VANCE	5	34	5	11	9	9	8	3	84
WAKE	153	357	92	88	78	78	91	99	1,036
WARREN	0	5	2	1	0	2	1	1	12
WASHINGTON	2	18	5	6	4	2	2	1	40
WATAUGA	3	3	1	1	0	0	1	0	9
WAYNE	24	73	16	9	15	19	16	12	184
WILKES	2	6	0	1	2	3	1	3	18
WILSON	21	58	10	16	12	14	7	16	154
YADKIN	3	0	4	3	0	3	0	2	15
YANCEY	1	2	1	2	0	0	0	0	6
MISSING	1	0	0	0	0	5	15	17	38
TOTAL	1,174	4,173	997	902	837	790	770	686	10,329

NORTH CAROLINA HIV(Non-AIDS) SURVEILLANCE REPORT								
1/1/1990 Through 12/31/2000								
STATUS (current known)								
	<u>LIVING</u>		<u>DECEASED</u>		<u>UNKNOWN</u>		<u>TOTAL</u>	
<u>AGE (at first report)</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>
0-4	88	0.9%	10	1.1%	0	0.0%	98	1.0%
5-12	21	0.2%	1	0.1%	0	0.0%	22	0.2%
13-19	357	3.9%	5	0.5%	0	0.0%	362	3.6%
20-29	3,019	32.6%	187	20.2%	0	0.0%	3,206	31.4%
30-39	3,641	39.3%	355	38.4%	3	100.0%	3,999	39.2%
40-49	1,628	17.6%	247	26.7%	0	0.0%	1,875	18.4%
50 and over	513	5.5%	119	12.9%	0	0.0%	632	6.2%
TOTAL	9,267	100%	924	100%	3	100%	10,194	100%
CATEGORY (at first report)								
	<u>PEDIATRIC</u>		<u>ADULT/ADOLESCENT</u>		<u>TOTAL</u>			
<u>RACE/ETHNICITY</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>		
White	19	15.8%	2,211	21.9%	2,230	21.9%		
African Am. or Black	93	77.5%	7,564	75.1%	7,657	75.1%		
Am. Indian/ Al. Native	1	0.8%	94	0.9%	95	0.9%		
Asian/ Pacific Is.	0	0.0%	27	0.3%	27	0.3%		
Hispanic	5	4.2%	97	1.0%	102	1.0%		
Unknown	2	1.7%	81	0.8%	83	0.8%		
TOTAL	120	100%	10,074	100%	10,194	100%		
CATEGORY Pediatric*								
	<u>MALE</u>		<u>FEMALE</u>		<u>TOTAL</u>			
<u>EXPOSURE CATEGORY</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>		
Ped. Hemophiliac	2	3.2%	0	0.0%	2	1.7%		
Mom with/HIV or at Risk	50	79.4%	50	86.2%	100	82.6%		
Ped. Blood Product	1	1.6%	1	1.7%	2	1.7%		
Ped. Unspecified	10	15.9%	7	12.1%	17	14.0%		
TOTAL	63	100%	58	100%	121	100%		
CATEGORY Adult/Adolescent*								
	<u>MALE</u>		<u>FEMALE</u>		<u>UNKNOWN</u>		<u>TOTAL</u>	
<u>EXPOSURE CATEGORY</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>
Men Who Have Sex with Men(MSM)	2,185	33.5%	0	0.0%	0	0.0%	2,185	21.7%
Injection Drug Use (IDU)	1,050	16.1%	600	16.9%	0	0.0%	1,650	16.4%
MSM/IDU	389	6.0%	0	0.0%	0	0.0%	389	3.9%
Adult Hemophiliac	19	0.3%	5	0.1%	0	0.0%	24	0.2%
Heterosexual Contact	718	11.0%	1,304	36.8%	1	50.0%	2,023	20.1%
Blood Products	75	1.1%	90	2.5%	0	0.0%	165	1.6%
Not Specified	2,094	32.1%	1,542	43.5%	1	50.0%	3,637	36.1%
TOTAL	6,530	100%	3,541	100%	2	100%	10,073	100%
*A small number of cases were diagnosed as adults but have evidence of being HIV infected as children. They are counted as pediatric for this table.								

NORTH CAROLINA HIV DISEASE** SURVEILLANCE REPORT								
Cases Reported During 2000								
STATUS (current known)								
	LIVING		DECEASED		TOTAL			
AGE (at first report)	Reports	Percent	Reports	Percent	Reports	Percent		
0-4	5	0.4%	0	0.0%	5	0.3%		
5-12	4	0.3%	0	0.0%	4	0.3%		
13-19	42	3.0%	0	0.0%	42	2.8%		
20-29	317	22.8%	5	5.8%	322	21.8%		
30-39	517	37.2%	22	25.6%	539	36.5%		
40-49	356	25.6%	26	30.2%	382	25.9%		
50 and over	150	10.8%	33	38.4%	183	12.4%		
TOTAL	1,391	100%	86	100%	1,477	100%		
CATEGORY (at first report)								
	PEDIATRIC		ADULT/ADOLESCENT		TOTAL			
RACE/ETHNICITY	Reports	Percent	Reports	Percent	Reports	Percent		
White	0	0.0%	328	22.3%	328	22.2%		
African Am. or Black	6	66.7%	1,059	72.1%	1,065	72.1%		
Am. Indian/ Al. Native	0	0.0%	12	0.8%	12	0.8%		
Asian/ Pacific Is.	0	0.0%	4	0.3%	4	0.3%		
Hispanic	3	33.3%	45	3.1%	48	3.2%		
Unknown	0	0.0%	20	1.4%	20	1.4%		
TOTAL	9	100%	1,468	100%	1,477	100%		
CATEGORY Pediatric*								
	MALE		FEMALE		TOTAL			
EXPOSURE CATEGORY	Reports	Percent	Reports	Percent	Reports	Percent		
Mom with/HIV or at Risk	3	75.0%	4	80.0%	7	77.8%		
Ped. Unspecified	1	25.0%	1	20.0%	2	22.2%		
TOTAL	4	100%	5	100%	9	100%		
CATEGORY Adult/Adolescent*								
	MALE		FEMALE		UNKNOWN		TOTAL	
EXPOSURE CATEGORY	Reports	Percent	Reports	Percent	Reports	Percent	Reports	Percent
Men Who Have Sex with Men(MSM)	360	37.3%	0	0.0%	0	0.0%	360	24.5%
Injection Drug Use (IDU)	92	9.5%	57	11.3%	0	0.0%	149	10.1%
MSM/IDU	23	2.4%	0	0.0%	0	0.0%	23	1.6%
Adult Hemophiliac	1	0.1%	1	0.2%	0	0.0%	2	0.1%
Heterosexual Contact	137	14.2%	189	37.6%	1	100%	327	22.3%
Blood Products	17	1.8%	14	2.8%	0	0.0%	31	2.1%
Not Specified	334	34.6%	242	48.1%	0	0.0%	576	39.2%
TOTAL	964	100%	503	100%	1	100%	1,468	100%
*A small number of cases were diagnosed as adults but have evidence of being HIV infected as children. They are counted as pediatric for this table.								
**includes HIV and AIDS reports by date and age at first report								

NORTH CAROLINA AIDS SURVEILLANCE REPORT						
Cases Reported During 2000						
STATUS (current known)						
	<u>LIVING</u>		<u>DECEASED</u>		<u>TOTAL</u>	
<u>AGE (at AIDS diagnosis)</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>
0-4	2	0.3%	0	0.0%	2	0.3%
5-12	1	0.2%	0	0.0%	1	0.1%
13-19	4	0.7%	0	0.0%	4	0.6%
20-29	84	14.5%	9	8.6%	93	13.6%
30-39	248	42.7%	36	34.3%	284	41.4%
40-49	181	31.2%	35	33.3%	216	31.5%
50 and over	61	10.5%	25	23.8%	86	12.5%
TOTAL	581	100%	105	100%	686	100%
DIAGNOSIS CATEGORY						
	<u>ADULT AIDS</u>		<u>PEDIATRIC AIDS</u>		<u>TOTAL</u>	
<u>RACE/ETHNICITY</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>
White	154	22.5%	0	0.0%	154	22.4%
African Am. or Black	488	71.4%	2	66.7%	490	71.4%
Am. Indian/ Al. Native	6	0.9%	0	0.0%	6	0.9%
Asian/ Pacific Is.	2	0.3%	0	0.0%	2	0.3%
Hispanic	33	4.8%	1	33.3%	34	5.0%
TOTAL	683	100%	3	100%	686	100%
CATEGORY Pediatric*						
	<u>MALE</u>		<u>FEMALE</u>		<u>TOTAL</u>	
<u>EXPOSURE CATEGORY</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>
Mom with/HIV or at Risk	1	50.0%	1	50.0%	2	50.0%
Ped. Unspecified	1	50.0%	1	50.0%	2	50.0%
TOTAL	2	100%	2	100%	4	100%
CATEGORY Adult/Adolescent*						
	<u>MALE</u>		<u>FEMALE</u>		<u>TOTAL</u>	
<u>EXPOSURE CATEGORY</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>
Men Who Have Sex with Men(MSM)	159	32.1%	0	0.0%	159	23.3%
Injection Drug Use (IDU)	66	13.3%	32	17.2%	98	14.4%
MSM/IDU	21	4.2%	0	0.0%	21	3.1%
Adult Hemophiliac	1	0.2%	0	0.0%	1	0.1%
Heterosexual Contact	70	14.1%	67	36.0%	137	20.1%
Blood Products	7	1.4%	7	3.8%	14	2.1%
Not Specified	172	34.7%	80	43.0%	252	37.0%
TOTAL	496	100%	186	100%	682	100%
*A small number of cases were diagnosed as adults but have evidence of being HIV infected as children. They are counted as pediatric for this table.						

NORTH CAROLINA HIV(Non-AIDS) SURVEILLANCE REPORT								
Cases Reported During 2000								
STATUS (current known)								
	<u>LIVING</u>		<u>DECEASED</u>		<u>TOTAL</u>			
<u>AGE (at first report)</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>		
0-4	3	0.3%	0	0.0%	3	0.3%		
5-12	3	0.3%	0	0.0%	3	0.3%		
13-19	41	4.1%	0	0.0%	41	4.0%		
20-29	262	26.1%	3	12.5%	265	25.8%		
30-39	361	36.0%	2	8.3%	363	35.3%		
40-49	234	23.3%	7	29.2%	241	23.4%		
50 and over	100	10.0%	12	50.0%	112	10.9%		
TOTAL	1,004	100%	24	100%	1,028	100%		
CATEGORY (at first report)								
	<u>PEDIATRIC</u>		<u>ADULT/ADOLESCENT</u>		<u>TOTAL</u>			
<u>RACE/ETHNICITY</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>		
White	0	0.0%	220	21.5%	220	21.4%		
African Am. or Black	4	66.7%	752	73.6%	756	73.5%		
Am. Indian/ Al. Native	0	0.0%	11	1.1%	11	1.1%		
Asian/ Pacific Is.	0	0.0%	2	0.2%	2	0.2%		
Hispanic	2	33.3%	17	1.7%	19	1.8%		
Unknown	0	0.0%	20	2.0%	20	1.9%		
TOTAL	6	100%	1,022	100%	1,028	100%		
CATEGORY Pediatric*								
	<u>MALE</u>		<u>FEMALE</u>		<u>TOTAL</u>			
<u>EXPOSURE CATEGORY</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>		
Mom with/HIV or at Risk	2	66.7%	3	100%	5	83.3%		
Ped. Unspecified	1	33.3%	0	0.0%	1	16.7%		
TOTAL	3	100%	3	100%	6	100%		
CATEGORY Adult/Adolescent*								
	<u>MALE</u>		<u>FEMALE</u>		<u>UNKNOWN</u>		<u>TOTAL</u>	
<u>EXPOSURE CATEGORY</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>	<u>Reports</u>	<u>Percent</u>
Men Who Have Sex with Men(MSM)	247	39.1%	0	0.0%	0	0.0%	247	24.2%
Injection Drug Use (IDU)	62	9.8%	42	10.8%	0	0.0%	104	10.2%
MSM/IDU	16	2.5%	0	0.0%	0	0.0%	16	1.6%
Adult Hemophiliac	1	0.2%	1	0.3%	0	0.0%	2	0.2%
Heterosexual Contact	97	15.3%	148	38.0%	1	100%	246	24.1%
Blood Products	12	1.9%	9	2.3%	0	0.0%	21	2.1%
Not Specified	197	31.2%	189	48.6%	0	0.0%	386	37.8%
TOTAL	632	100%	389	100%	1	100%	1,022	100%
*A small number of cases were diagnosed as adults but have evidence of being HIV infected as children. They are counted as pediatric for this table.								

HIV DISEASE CASES: Expanded Mode of Transmission vs Date of Report

Mode of Transmission	Year of Report											Total
	<1991	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Adult /Adolescent Cases												
Homosexual/Bisexual Male (MSM)	954	415	591	701	636	598	377	408	371	383	360	5,794
Injecting Drug User IDU	572	392	498	534	434	398	307	296	196	197	149	3,973
MSM & IDU	192	156	81	107	77	56	71	69	35	60	23	927
Hemophiliac	44	16	8	31	9	10	7	3	2	2	2	134
Heterosexual Contact(See Below)												
Sex with IDU	98	84	126	146	139	163	91	89	71	88	95	1,190
Sex w/Bisexual Male	15	9	13	14	23	17	11	10	14	16	10	152
Sex w /Hemophiliac	0	3	4	2	4	1	3	3	1	5	2	28
Sex W/ Transfusion Recipient	9	18	6	9	6	4	5	1	0	2	1	61
Sex W /HIV/AIDS	37	49	122	155	237	264	240	275	260	202	219	2,060
Transfusion/Transplant Recipient	59	20	25	40	36	45	31	29	24	33	31	373
Risk not specified	483	293	545	525	485	683	472	463	495	564	576	5,584
Additional Risk Factors (See Below)												
Exchanged Sex For Drugs or Money*	3	2	3	6	56	79	63	61	77	47	39	436
Multiple Sex Partners*	0	1	0	0	74	71	9	5	4	32	36	232
Non-Injecting Drug Use*	0	0	0	0	0	0	0	0	0	21	28	49
Past History of STD Infection*	0	0	0	0	19	12	2	2	0	13	24	72
Total Adult/Adolescent Cases	2,463	1,455	2,019	2,264	2,086	2,239	1,615	1,646	1,469	1,552	1,468	20,276
*Contained in the "Not Specified" Category												
Pediatric Cases												
Hemophiliac	4	0	1	5	2	0	1	1	2	0	0	16
Perinatal Transmission(See Below)												
Mother is IDU	13	0	9	2	1	5	7	3	3	0	1	44
Mother had Sex W/IDU	3	0	6	4	2	3	7	3	1	0	0	29
Mother had Sex w/Bisexual Male	0	0	2	0	0	0	0	0	0	0	0	2
Mother had Sex w/Hemophiliac	0	0	1	0	0	0	0	0	0	0	0	1
Mother had Sex w/Person with HIV/AIDS	3	0	6	1	0	13	8	2	5	1	2	41
Mother had Transfusion	0	0	2	1	0	0	0	0	0	0	0	3
Mother has HIV/AIDS	6	3	17	16	3	7	10	7	6	1	4	80
Transfusion Transplant/Recipient	6	0	0	0	0	1	0	0	1	0	0	8
Other/ Undetermined	2	0	0	4	2	4	3	2	1	3	2	23
Confirmed Other	0	0	0	1	0	0	0	0	0	0	0	1
Total Pediatric	37	3	44	35	10	33	36	18	19	5	9	249
Grand Total (Adult/Adolescent & Pediatric)	2,500	1,458	2,063	2,299	2,096	2,272	1,651	1,664	1,488	1,557	1,477	20,525
Total Potentially Drug-Related Cases	927	686	868	971	949	988	804	805	654	617	560	8,829
Total Potentially Heterosexual-Related Transmission Cases	184	169	309	354	564	626	448	459	437	427	459	4,436

AIDS Cases: Expanded Mode of Transmission vs Date of Report

Mode of Transmission	Year of Report											Total
	<1991	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	
Adult/Adolescent Reports												
Homosexual/Bisexual Male (MSM)	828	265	268	484	428	318	238	211	226	183	159	3,608
Injecting Drug User IDU	364	150	146	332	311	227	193	213	146	143	98	2,323
MSM & IDU	115	34	40	76	58	36	53	35	33	37	21	538
Hemophiliac	41	12	8	24	6	8	6	2	1	1	1	110
Heterosexual Contact(See Below)												
Sex with IDU	85	47	39	61	75	70	63	43	50	48	45	626
Sex w/Bisexual Male	7	2	3	9	4	5	5	2	5	4	6	52
Sex w/Hemophiliac	0	0	2	1	1	1	2	1	0	2	0	10
Sex W/ Transfusion Recipient	6	8	3	8	1	3	2	2	0	1	1	35
Sex W /HIV/AIDS	19	19	34	71	78	80	94	96	87	82	85	745
Transfusion/Transplant Recipient	53	11	10	28	19	10	16	17	15	15	14	208
Risk not specified	112	40	68	180	168	229	214	208	225	250	252	1,946
Additional Risk Factors (See Below)												
Exchanged Sex For Drugs or Money*	0	0	0	0	0	7	16	15	29	26	19	112
Multiple Sex Partners*	0	0	0	0	0	2	10	3	2	12	11	40
Non-Injecting Drug Use*	0	0	0	0	0	0	0	0	0	4	1	5
Past History of STD Infection*	0	0	0	0	0	0	2	1	2	6	8	19
Total Adult/Adolescent Cases	1,630	588	621	1,274	1,149	987	886	830	788	766	682	10,201
*Contained in the "Not Specified" Category												
Pediatric Cases												
Hemophiliac	4	0	1	3	4	0	1	0	1	0	0	14
Perinatal Transmission(See Below)												
Mother is IDU	12	0	9	0	1	1	4	1	0	0	0	28
Mother had Sex W/IDU	3	0	6	3	0	2	2	1	0	1	0	18
Mother had Sex w/Bisexual Male	0	0	2	0	0	0	0	0	0	0	0	2
Mother had Sex w/Hemophiliac	0	0	1	0	0	0	0	0	0	0	0	1
Mother had Sex w/Person with HIV/AIDS	3	0	6	1	0	3	6	1	1	0	1	22
Mother had Transfusion	0	0	2	1	0	0	0	0	0	0	0	3
Mother has HIV/AIDS	4	2	7	1	0	3	3	4	0	2	1	27
Transfusion Transplant/Recipient	6	0	0	0	0	0	0	0	0	0	0	6
Other/ Undetermined	1	0	0	0	1	1	0	0	0	1	2	6
Confirmed Other	0	0	0	1	0	0	0	0	0	0	0	1
Total Pediatric	33	2	34	10	6	10	16	7	2	4	4	128
Grand Total (Adult/Adolescent & Pediatric)	1,663	590	655	1,284	1,155	997	902	837	790	770	686	10,329
Total Potentially Drug-Related Cases	605	252	287	545	523	429	434	409	346	343	271	4,444
Total Potentially Heterosexual-Related Transmission Cases	133	78	100	151	160	172	201	168	175	187	177	1,702

**Mode of Transmission of Adult/Adolescent HIV DISEASE * (13 Years of Age and Older)
(Cumulative through 12/31/2000)**

	Race/Ethnicity						Total
	White	African Am. or Black	Am. Indian/ Al. Native	Asian/ Pacific Is.	Hispanic	Unknown	
Male (Number of Cases)							
MSM	2,802	2,830	40	15	77	30	5,794
IDU	370	2,351	32	3	35	6	2,797
MSM & IDU	310	597	8	2	7	3	927
Hemophilia	68	40	8	2	3	0	121
Heterosexual	204	1,122	6	4	34	2	1,372
Transfusion/Transplant	87	117	0	0	1	1	206
Other	0	1	0	0	0	0	1
Risk not specified	700	2,601	25	12	129	36	3,503
Total	4,541	9,659	119	38	286	78	14,721
	Race/Ethnicity						
	White	African Am. or Black	Am. Indian/ Al. Native	Asian/ Pacific Is.	Hispanic	Unknown	Total
Male (Percent of Cases)							
MSM	61.7%	29.3%	33.6%	39.5%	26.9%	38.5%	39.4%
IDU	8.1%	24.3%	26.9%	7.9%	12.2%	7.7%	19.0%
MSM & IDU	6.8%	6.2%	6.7%	5.3%	2.4%	3.8%	6.3%
Hemophilia	1.5%	0.4%	6.7%	5.3%	1.0%	0.0%	0.8%
Heterosexual	4.5%	11.6%	5.0%	10.5%	11.9%	2.6%	9.3%
Transfusion/Transplant	1.9%	1.2%	0.0%	0.0%	0.3%	1.3%	1.4%
Other	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Risk not specified	15.4%	26.9%	21.0%	31.6%	45.1%	46.2%	23.8%
Total	100%	100%	100%	100%	100%	100%	100%
	Race/Ethnicity						
	White	African Am. or Black	Am. Indian/ Al. Native	Asian/ Pacific Is.	Hispanic	Unknown	Total
Female (Number of Cases)							
IDU	212	946	10	1	4	3	1,176
Hemophilia	4	8	1	0	0	0	13
Heterosexual	330	1,738	20	5	22	3	2,118
Transfusion/Transplant	33	130	2	0	2	0	167
Risk not specified	304	1,728	15	6	17	10	2,080
Total	883	4,550	48	12	45	16	5,554
	Race/Ethnicity						
	White	African Am. or Black	Am. Indian/ Al. Native	Asian/ Pacific Is.	Hispanic	Unknown	Total
Female (Percent of Cases)							
IDU	24.0%	20.8%	20.8%	8.3%	8.9%	18.8%	21.2%
Hemophilia	0.5%	0.2%	2.1%	0.0%	0.0%	0.0%	0.2%
Heterosexual	37.4%	38.2%	41.7%	41.7%	48.9%	18.8%	38.1%
Transfusion/Transplant	3.7%	2.9%	4.2%	0.0%	4.4%	0.0%	3.0%
Risk not specified	34.4%	38.0%	31.3%	50.0%	37.8%	62.5%	37.5%
Total	100%	100%	100%	100%	100%	100%	100%

*A small number of cases were diagnosed as adults but have evidence of being HIV infected as children. They are not included in this table.

**Mode of Transmission of Pediatric HIV DISEASE * (12 Years of Age and Younger)
(Cumulative through 12/31/2000)**

Male						
(Number of Cases)						
	Race/Ethnicity					Total
	<u>White</u>	<u>African Am. or Black</u>	<u>Am. Indian/ Al. Native</u>	<u>Hispanic</u>		
Risk not specified	0	11	0	0		11
Hemophilia	12	3	1	0		16
Mother w/HIV	16	77	0	3		96
Transfusion/Transplant	3	2	0	0		5
Total	31	93	1	3		128

Male						
(Percent of Cases)						
	Race/Ethnicity					Total
	<u>White</u>	<u>African Am. or Black</u>	<u>Am. Indian/ Al. Native</u>	<u>Hispanic</u>		
Risk not specified	0.0%	11.8%	0.0%	0.0%		8.6%
Hemophilia	38.7%	3.2%	100%	0.0%		12.5%
Mother w/HIV	51.6%	82.8%	0.0%	100%		75.0%
Transfusion/Transplant	9.7%	2.2%	0.0%	0.0%		3.9%
Total	100%	100%	100%	100%		100%

Female						
(Number of Cases)						
	Race/Ethnicity					Total
	<u>White</u>	<u>African Am. or Black</u>	<u>Am. Indian/ Al. Native</u>	<u>Hispanic</u>	<u>Unknown</u>	
Mother w/HIV	12	85	2	4	2	105
Transfusion/Transplant	1	2	0	0	0	3
Other/Undetermined	4	8	0	0	0	12
Total	17	95	2	4	2	120

Female						
(Percent of Cases)						
	Race/Ethnicity					Total
	<u>White</u>	<u>African Am. or Black</u>	<u>Am. Indian/ Al. Native</u>	<u>Hispanic</u>	<u>Unknown</u>	
Mother w/HIV	70.6%	89.5%	100%	100%	100%	87.5%
Transfusion/Transplant	5.9%	2.1%	0.0%	0.0%	0.0%	2.5%
Other/Undetermined	23.5%	8.4%	0.0%	0.0%	0.0%	10%
Total	100%	100%	100%	100%	100%	100%

*A small number of cases were diagnosed as adults but have evidence of being HIV infected as children. They are counted as pediatric for this table.

**Mode of Transmission of Adult/Adolescent AIDS Cases * (13 Years of Age and Older)
(Cumulative through 12/31/2000)**

	Race/Ethnicity						Total
	White	African Am. or Black	Am. Indian/ Al. Native	Asian/ Pacific Is.	Hispanic	Unknown	
Male (Number of Cases)							
MSM	1,971	1,545	21	8	58	5	3,608
IDU	236	1,468	16	0	24	3	1,747
MSM & IDU	178	350	3	2	4	1	538
Hemophilia	59	30	8	2	3	0	102
Heterosexual	111	518	1	2	22	0	654
Transfusion/Transplant	70	59	0	0	1	1	131
Risk not specified	310	990	8	4	94	3	1,409
Total	2,935	4,960	57	18	206	13	8,189
	Race/Ethnicity						Total
	White	African Am. or Black	Am. Indian/ Al. Native	Asian/ Pacific Is.	Hispanic	Unknown	
Male (Percent of Cases)							
MSM	67.1%	31.1%	36.8%	44.4%	28.1%	38.4%	44.1%
IDU	8.0%	29.6%	28.1%	0.0%	11.7%	23.1%	21.3%
MSM & IDU	6.1%	7.1%	5.3%	11.1%	1.9%	7.7%	6.6%
Hemophilia	2.0%	0.6%	14.0%	11.1%	1.5%	0.0%	1.2%
Heterosexual	3.8%	10.4%	1.8%	11.1%	10.7%	0.0%	8.0%
Transfusion/Transplant	2.4%	1.2%	0.0%	0.0%	0.5%	7.7%	1.6%
Risk not specified	10.6%	20.0%	14.0%	22.2%	45.6%	23.1%	17.2%
Total	100%	100%	100%	100%	100%	100%	100
	Race/Ethnicity						Total
	White	African Am. or Black	Am. Indian/ Al. Native	Asian/ Pacific Is.	Hispanic	Unknown	
Female (Number of Cases)							
IDU	80	490	3	1	2		576
Hemophilia	3	4	1	0	0		8
Heterosexual	109	686	7	1	11		814
Transfusion/Transplant	17	57	1	0	2		77
Risk not specified	70	448	4	3	13		538
Total	279	1,685	16	5	28		2,013
	Race/Ethnicity						Total
	White	African Am. or Black	Am. Indian/ Al. Native	Asian/ Pacific Is.	Hispanic	Unknown	
Female (Percent of Cases)							
IDU	28.7%	29.1%	18.8%	20.0%	7.1%		28.6%
Hemophilia	1.1%	0.2%	6.3%	0.0%	0.0%		0.4%
Heterosexual	39.1%	40.7%	43.8%	20.0%	39.3%		40.4%
Transfusion/Transplant	6.1%	3.4%	6.3%	0.0%	7.1%		3.8%
Risk not specified	25.1%	26.6%	25.0%	60.0%	46.4%		26.8%
Total	100%	100%	100%	100%	100%		100%

*A small number of cases were diagnosed as adults but have evidence of being HIV infected as children. They are not included in this table.

**Mode of Transmission of Pediatric AIDS * (12 Years of Age and Younger)
(Cumulative through 12/31/2000)**

	Race/Ethnicity				Total
	White	African Am. or Black	Am. Indian/ Al. Native		
Male (Number of Cases)					
Hemophilia	11	2	1		14
Mother w/HIV	9	37	0		46
Transfusion/Transplant	3	2	0		5
Total	23	41	1		65

	Race/Ethnicity				Total
	White	African Am. or Black	Am. Indian/ Al. Native		
Male (Percent of Cases)					
Hemophilia	47.8%	4.9%	100%		21.5%
Mother w/HIV	39.1%	90.2%	0.0%		70.8%
Transfusion/Transplant	13.0%	4.9%	0.0%		7.7%
Total	100%	100%	100%		100%

	Race/Ethnicity				Total
	White	African Am. or Black	Am. Indian/ Al. Native	Hispanic	
Female (Number of Cases)					
Mother w/HIV	4	48	1	2	55
Transfusion/Transplant	0	2	0	0	2
Other/Undetermined	1	4	0	0	5
Total	5	54	1	2	62

	Race/Ethnicity				Total
	White	African Am. or Black	Am. Indian/ Al. Native	Hispanic	
Female (Percent of Cases)					
Mother w/HIV	80.0%	88.9%	100%	100%	88.7%
Transfusion/Transplant	0.0%	3.7%	0.0%	0.0%	3.2%
Other/Undetermined	20.0%	7.4%	0.0%	0.0%	8.1%
Total	100%	100%	100%	100%	100%

*A small number of cases were diagnosed as adults but have evidence of being HIV infected as children. They are counted as pediatric for this table.

**HIV DISEASE by Gender, Age Group, and Race/Ethnicity
(Cumulative Reports Through 12/31/00)**

Males Age at Diagnosis*	Race/Ethnicity						Total
	<u>White</u>	<u>African Am.</u> <u>or Black</u>	<u>Am. Indian/</u> <u>Al. Native</u>	<u>Asian/</u> <u>Pacific Is.</u>	<u>Hispanic</u>	<u>Unknown</u>	
0-4	15	81	0	0	1	0	97
5-12	10	11	1	0	2	0	24
13-19	43	135	2	1	2	1	184
20-29	1,116	2,193	43	12	102	22	3,488
30-39	2,063	4,258	47	17	111	26	6,522
40-49	923	2,338	23	4	52	22	3,362
50+	402	736	4	4	19	7	1,172
Total	4,572	9,752	120	38	289	78	14,849

Females Age at Diagnosis*	Race/Ethnicity						Total
	<u>White</u>	<u>African Am.</u> <u>or Black</u>	<u>Am. Indian/</u> <u>Al. Native</u>	<u>Asian/</u> <u>Pacific Is.</u>	<u>Hispanic</u>	<u>Unknown</u>	
0-4	13	79	2	0	1	2	97
5-12	4	15	0	0	3	0	22
13-19	53	245	5	0	3	1	307
20-29	314	1,477	20	6	13	5	1,835
30-39	318	1,737	12	3	20	6	2,096
40-49	141	790	9	2	7	3	952
50+	57	302	2	1	2	1	365
Total	900	4,645	50	12	49	18	5,674

All Age at Diagnosis*	Race/Ethnicity						Total
	<u>White</u>	<u>African Am.</u> <u>or Black</u>	<u>Am. Indian/</u> <u>Al. Native</u>	<u>Asian/</u> <u>Pacific Is.</u>	<u>Hispanic</u>	<u>Unknown</u>	
0-4	28	160	2	0	2	2	194
5-12	14	26	1	0	5	0	46
13-19	96	380	7	1	5	2	491
20-29	1,430	3,671	63	18	115	27	5,324
30-39	2,381	5,996	59	20	131	32	8,619
40-49	1,064	3,128	32	6	59	25	4,314
50+	459	1,038	6	5	21	8	1,537
Total	5,472	14,399	170	50	338	96	20,525

*Excludes reports with missing age at time of diagnosis.

**HIV DISEASE by Gender, Age Group, and Race /Ethnicity
(Cumulative Percentage of Reports Through 12/31/00)**

Males							
Age at Diagnosis*	Race/Ethnicity						Total
	<u>White</u>	<u>African Am. or Black</u>	<u>Am. Indian/ Al. Native</u>	<u>Asian/ Pacific Is.</u>	<u>Hispanic</u>	<u>Unknown</u>	
0-4	0.3%	0.8%	0.0%	0.0%	0.3%	0.0%	0.7%
5-12	0.2%	0.1%	0.8%	0.0%	0.7%	0.0%	0.2%
13-19	0.9%	1.4%	1.7%	2.6%	0.7%	1.3%	1.2%
20-29	24.4%	22.5%	35.8%	31.6%	35.3%	28.2%	23.5%
30-39	45.1%	43.7%	39.2%	44.7%	38.4%	33.3%	43.9%
40-49	20.2%	24.0%	19.2%	10.5%	18.0%	28.2%	22.6%
50+	8.8%	7.5%	3.3%	10.5%	6.6%	9.0%	7.9%
Total	100%	100%	100%	100%	100%	100%	100%

Females							
Age at Diagnosis*	Race/Ethnicity						Total
	<u>White</u>	<u>African Am. or Black</u>	<u>Am. Indian/ Al. Native</u>	<u>Asian/ Pacific Is.</u>	<u>Hispanic</u>	<u>Unknown</u>	
0-4	1.4%	1.7%	4.0%	0.0%	2.0%	11.1%	1.7%
5-12	0.4%	0.3%	0.0%	0.0%	6.1%	0.0%	0.4%
13-19	5.9%	5.3%	10.0%	0.0%	6.1%	5.6%	5.4%
20-29	34.9%	31.8%	40.0%	50.0%	26.5%	27.8%	32.3%
30-39	35.3%	37.4%	24.0%	25.0%	40.8%	33.3%	36.9%
40-49	15.7%	17.0%	18.0%	16.7%	14.3%	16.7%	16.8%
50+	6.3%	6.5%	4.0%	8.3%	4.1%	5.6%	6.4%
Total	100%	100%	100%	100%	100%	100%	100%

All							
Age at Diagnosis*	Race/Ethnicity						Total
	<u>White</u>	<u>African Am. or Black</u>	<u>Am. Indian/ Al. Native</u>	<u>Asian/ Pacific Is.</u>	<u>Hispanic</u>	<u>Unknown</u>	
0-4	0.5%	1.1%	1.2%	0.0%	0.6%	2.1%	0.9%
5-12	0.3%	0.2%	0.6%	0.0%	1.5%	0.0%	0.2%
13-19	1.8%	2.6%	4.1%	2.0%	1.5%	2.1%	2.4%
20-29	26.1%	25.5%	37.1%	36.0%	34.0%	28.1%	25.9%
30-39	43.5%	41.6%	34.7%	40.0%	38.8%	33.3%	42.0%
40-49	19.4%	21.7%	18.8%	12.0%	17.5%	26.0%	21.0%
50+	8.4%	7.2%	3.5%	10.0%	6.2%	8.3%	7.5%
Total	100%	100%	100%	100%	100%	100%	100%

*Excludes reports with missing age at time of diagnosis.

**AIDS Cases by Gender, Age Group, and Race/Ethnicity
(Cumulative Reports Through 12/31/00)**

Males Age at Diagnosis*	Race/Ethnicity						Total
	<u>White</u>	<u>African Am.</u> <u>or Black</u>	<u>Am. Indian/</u> <u>Al. Native</u>	<u>Asian/</u> <u>Pacific Is.</u>	<u>Hispanic</u>	<u>Unknown</u>	
0-4	9	35	0	0	0	0	44
5-12	8	4	0	0	0	0	12
13-19	15	28	2	1	2	0	48
20-29	522	800	15	6	64	3	1,410
30-39	1408	2279	26	6	83	3	3,805
40-49	695	1416	12	2	40	6	2,171
50+	301	437	3	3	17	1	762
Total	2,958	4,999	58	18	206	13	8,252

Females Age at Diagnosis*	Race/Ethnicity					Total
	<u>White</u>	<u>African Am.</u> <u>or Black</u>	<u>Am. Indian/</u> <u>Al. Native</u>	<u>Asian/</u> <u>Pacific Is.</u>	<u>Hispanic</u>	
0-4	4	45	1	0	1	51
5-12	1	8	0	0	1	10
13-19	7	26	0	0	0	33
20-29	70	384	6	2	7	469
30-39	107	752	4	2	15	880
40-49	60	372	4	1	5	442
50+	35	150	2	0	1	188
Total	284	1,737	17	5	30	2,073

All Age at Diagnosis*	Race/Ethnicity						Total
	<u>White</u>	<u>African Am.</u> <u>or Black</u>	<u>Am. Indian/</u> <u>Al. Native</u>	<u>Asian/</u> <u>Pacific Is.</u>	<u>Hispanic</u>	<u>Unknown</u>	
0-4	13	80	1	0	1	0	95
5-12	9	12	0	0	1	0	22
13-19	22	54	2	1	2	0	81
20-29	592	1,184	21	8	71	3	1,879
30-39	1,515	3,031	30	8	98	3	4,685
40-49	755	1,788	16	3	45	6	2,613
50+	336	587	5	3	18	1	950
Total	3,242	6,736	75	23	236	13	10,325

*Excludes reports with missing age at time of diagnosis.

**AIDS Cases by Gender, Age Group, and Race/Ethnicity
(Cumulative Percentage of Reports Through 12/31/00)**

		Race/Ethnicity						
		African Am.	Am. Indian/	Asian/				
Males								
Age at								
Diagnosis*	<u>White</u>	<u>or Black</u>	<u>Al. Native</u>	<u>Pacific Is.</u>	<u>Hispanic</u>	<u>Unknown</u>	<u>Total</u>	
0-4	0.3%	0.7%	0.0%	0.0%	0.0%	0.0%	0.5%	
5-12	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	
13-19	0.5%	0.6%	3.4%	5.6%	1.0%	0.0%	0.6%	
20-29	17.6%	16.0%	25.9%	33.3%	31.1%	23.1%	17.1%	
30-39	47.6%	45.6%	44.8%	33.3%	40.3%	23.1%	46.1%	
40-49	23.5%	28.3%	20.7%	11.1%	19.4%	46.2%	26.3%	
50+	10.2%	8.7%	5.2%	16.7%	8.3%	7.7%	9.2%	
Total	100%	100%	100%	100%	100%	100%	100%	

		Race/Ethnicity					
		African Am.	Am. Indian/	Asian/			
Females							
Age at							
Diagnosis*	<u>White</u>	<u>or Black</u>	<u>Al. Native</u>	<u>Pacific Is.</u>	<u>Hispanic</u>	<u>Total</u>	
0-4	1.4%	2.6%	5.9%	0.0%	3.3%	2.5%	
5-12	0.4%	0.5%	0.0%	0.0%	3.3%	0.5%	
13-19	2.5%	1.5%	0.0%	0.0%	0.0%	1.6%	
20-29	24.6%	22.1%	35.3%	40.0%	23.3%	22.6%	
30-39	37.7%	43.3%	23.5%	40.0%	50.0%	42.5%	
40-49	21.1%	21.4%	23.5%	20.0%	16.7%	21.3%	
50+	12.3%	8.6%	11.8%	0.0%	3.3%	9.1%	
Total	100%	100%	100%	100%	100%	100%	

		Race/Ethnicity						
		African Am.	Am. Indian/	Asian/				
All								
Age at								
Diagnosis*	<u>White</u>	<u>or Black</u>	<u>Al. Native</u>	<u>Pacific Is.</u>	<u>Hispanic</u>	<u>Unknown</u>	<u>Total</u>	
0-4	0.4%	1.2%	1.3%	0.0%	0.4%	0.0%	0.9%	
5-12	0.3%	0.2%	0.0%	0.0%	0.4%	0.0%	0.2%	
13-19	0.7%	0.8%	2.7%	4.3%	0.8%	0.0%	0.8%	
20-29	18.3%	17.6%	28.0%	34.8%	30.1%	23.1%	18.2%	
30-39	46.7%	45.0%	40.0%	34.8%	41.5%	23.1%	45.4%	
40-49	23.3%	26.5%	21.3%	13.0%	19.1%	46.2%	25.3%	
50+	10.4%	8.7%	6.7%	13.0%	7.6%	7.7%	9.2%	
Total	100%	100%	100%	100%	100%	100%	100%	

*Excludes reports with missing age at time of diagnosis.

North Carolina HIV Disease by Gender, Age Group, and Date of First Report

Males Age at Diagnosis*	Year of Report								Total
	1993	1994	1995	1996	1997	1998	1999	2000	
0-4	13	4	18	17	6	5	2	2	67
5-12	3	1	3	2	2	2	0	2	15
13-19	25	11	22	11	14	19	13	25	140
20-29	379	348	362	233	245	220	191	191	2,169
30-39	823	712	728	447	478	380	444	355	4,367
40-49	391	357	358	300	293	257	287	270	2,513
50+	100	122	109	89	113	104	114	123	874
Total	1,734	1,555	1,600	1,099	1,151	987	1,051	968	10,145

Females Age at Diagnosis*	Year of Report								Total
	1993	1994	1995	1996	1997	1998	1999	2000	
0-4	15	3	9	10	8	11	1	3	60
5-12	1	1	3	6	1	0	1	2	15
13-19	37	33	34	27	36	33	27	17	244
20-29	194	195	235	191	145	140	122	130	1,352
30-39	210	199	241	195	186	180	184	184	1,579
40-49	82	88	106	96	97	108	126	112	815
50+	26	22	44	26	40	29	45	60	292
Total	565	541	672	551	513	501	506	508	4,357

Both Age at Diagnosis*	Year of Report								Total
	1993	1994	1995	1996	1997	1998	1999	2000	
0-4	28	7	27	27	14	16	3	5	127
5-12	4	2	6	8	3	2	1	4	30
13-19	62	44	56	38	50	52	40	42	384
20-29	573	543	597	424	390	360	313	322	3,522
30-39	1,033	911	969	643	664	560	628	539	5,947
40-49	473	445	464	396	390	365	413	382	3,328
50+	126	144	153	115	153	133	159	183	1,166
Total	2,299	2,096	2,272	1,651	1,664	1,488	1,557	1,477	14,504

*Excludes reports with missing age at time of diagnosis.

North Carolina AIDS Cases by Gender, Age Group, and Date of AIDS Report

		Year of Report								Total
		<u>1993</u>	<u>1994</u>	<u>1995</u>	<u>1996</u>	<u>1997</u>	<u>1998</u>	<u>1999</u>	<u>2000</u>	
Males										
Age at Diagnosis*										
0-4		1	1	5	8	2	0	1	1	19
5-12		1	1	0	0	1	0	1	0	4
13-19		11	4	1	4	2	5	4	3	34
20-29		203	167	118	89	87	66	65	65	860
30-39		521	448	374	315	280	247	248	198	2,631
40-49		272	248	218	201	184	203	177	168	1,671
50+		68	81	67	63	65	72	69	63	548
Total		1,077	950	783	680	621	593	565	498	5,767
Females										
Age at Diagnosis*										
0-4		4	1	4	6	4	1	1	1	22
5-12		1	0	1	1	0	0	0	1	4
13-19		7	5	2	4	2	1	4	1	26
20-29		51	51	54	55	44	47	46	28	376
30-39		88	96	84	83	103	86	73	86	699
40-49		44	39	46	52	45	52	53	48	379
50+		11	11	22	21	19	10	27	23	144
Total		206	203	213	222	217	197	204	188	1,650
Both										
Age at Diagnosis*										
0-4		5	2	9	14	6	1	2	2	41
5-12		2	1	1	1	1	0	1	1	8
13-19		18	9	3	8	4	6	8	4	60
20-29		254	218	172	144	131	113	111	93	1,236
30-39		609	544	458	398	383	333	321	284	3,330
40-49		316	287	264	253	229	255	230	216	2,050
50+		79	92	89	84	84	82	96	86	692
Total		1,283	1,153	996	902	838	790	769	686	7,417

*Excludes reports with missing age at time of diagnosis.

HIV Disease by Race/Ethnicity and Year of First Report							
Year of Report	Race/Ethnicity						Total
	<u>White</u>	<u>African Am. or Black</u>	<u>Am. Indian/ Al. Native</u>	<u>Asian/ Pacific Is.</u>	<u>Hispanic</u>	<u>Unknown</u>	
1983-89	566	589	7	3	17	3	1,185
1990	352	927	14	1	10	11	1,315
1991	407	1,023	7	3	11	7	1,458
1992	543	1,480	16	4	15	5	2,063
1993	642	1,596	27	4	25	5	2,299
1994	532	1,503	22	7	29	3	2,096
1995	576	1,646	15	4	31	0	2,272
1996	385	1,197	10	8	36	15	1,651
1997	400	1,203	13	2	39	7	1,664
1998	363	1,074	10	4	34	3	1,488
1999	378	1,096	17	6	43	17	1,557
2000	328	1,065	12	4	48	20	1,477
Total	5,472	14,399	170	50	338	96	20,525

AIDS Cases by Race/Ethnicity and Year of AIDS Report							
Year of Report	Race/Ethnicity						Total
	<u>White</u>	<u>African Am. or Black</u>	<u>Am. Indian/ Al. Native</u>	<u>Asian/ Pacific Is.</u>	<u>Hispanic</u>	<u>Unknown</u>	
1983-89	564	580	7	3	17	3	1,174
1990	180	298	4	1	5	1	489
1991	226	351	3	1	8	1	590
1992	237	406	1	2	9	0	655
1993	453	791	11	4	21	4	1,284
1994	356	760	13	3	20	3	1,155
1995	283	689	7	0	18	0	997
1996	223	644	5	4	25	1	902
1997	199	603	6	0	29	0	837
1998	199	562	5	2	22	0	790
1999	168	566	7	1	28	0	770
2000	154	490	6	2	34	0	686
Total	3,242	6,740	75	23	236	13	10,329

Cumulative HIV/AIDS Reports by County of Residence at First Report

Unduplicated Reports through 12/31/00

COUNTY	HIV Infection	AIDS ONLY	HIV then AIDS	TOTAL	COUNTY	HIV Infection	AIDS ONLY	HIV then AIDS	TOTAL
ALAMANCE	124	83	19	226	JONES	10	4	2	16
ALEXANDER	10	7	3	20	LEE	75	22	17	114
ANSON	40	25	18	83	LENOIR	136	101	60	297
ASHE	1	2	1	4	LINCOLN	27	16	5	48
AVERY	3	6	1	10	MACON	11	12	0	23
BEAUFORT	46	63	11	120	MADISON	5	7	2	14
BERTIE	19	37	14	70	MARTIN	35	23	8	66
BLADEN	32	23	9	64	MC DOWELL	11	16	2	29
BRUNSWICK	39	46	10	95	MECKLENBURG	2,058	988	405	3,451
BUNCOMBE	207	226	82	515	MITCHELL	6	4	1	11
BURKE	30	30	5	65	MONTGOMERY	24	9	8	41
CABARRUS	83	71	19	173	MOORE	59	34	10	103
CALDWELL	30	23	6	59	NASH	112	116	30	258
CAMDEN	5	5	2	12	NEW HANOVER	261	193	55	509
CARTERET	23	35	3	61	NORTHAMPTON	21	36	11	68
CASWELL	7	10	2	19	ONSLOW	80	86	17	183
CATAWBA	66	72	22	160	ORANGE	109	97	20	226
CHATHAM	29	23	4	56	PAMLICO	10	11	2	23
CHEROKEE	4	4	4	12	PASQUOTANK	41	26	6	73
CHOWAN	15	13	4	32	PENDER	22	32	9	63
CLAY	1	0	0	1	PERQUIMANS	13	8	4	25
CLEVELAND	119	43	25	187	PERSON	37	18	2	57
COLUMBUS	83	54	18	155	PITT	202	254	66	522
CRAVEN	100	93	30	223	POLK	4	17	2	23
CUMBERLAND	571	313	114	998	RANDOLPH	44	39	11	94
CURRITUCK	5	7	2	14	RICHMOND	72	31	21	124
DARE	10	19	4	33	ROBESON	173	98	47	318
DAVIDSON	87	75	24	186	ROCKINGHAM	68	53	13	134
DAVIE	12	14	5	31	ROWAN	93	108	25	226
DUPLIN	47	76	15	138	RUTHERFORD	28	40	3	71
DURHAM	628	558	134	1,320	SAMPSON	86	45	24	155
EDGECOMBE	112	92	30	234	SCOTLAND	72	35	17	124
FORSYTH	501	437	110	1,048	STANLY	45	20	4	69
FRANKLIN	38	32	7	77	STOKES	5	8	3	16
GASTON	300	151	91	542	SURRY	18	16	4	38
GATES	1	2	1	4	SWAIN	4	14	1	19
GRAHAM	1	0	1	2	TRANSYLVANIA	12	18	2	32
GRANVILLE	81	47	14	142	TYRRELL	3	3	1	7
GREENE	29	22	20	71	UNION	69	42	21	132
GUILFORD	718	685	169	1,572	VANCE	79	58	26	163
HALIFAX	96	81	29	206	WAKE	862	777	237	1,876
HARNETT	66	57	15	138	WARREN	15	4	7	26
HAYWOOD	17	28	5	50	WASHINGTON	24	33	8	65
HENDERSON	30	51	13	94	WATAUGA	2	8	1	11
HERTFORD	24	36	14	74	WAYNE	123	149	31	303
HOKE	44	30	11	85	WILKES	8	15	2	25
HYDE	1	4	0	5	WILSON	173	113	51	337
IREDELL	42	51	21	114	YADKIN	9	11	2	22
JACKSON	5	10	2	17	YANCEY	6	3	2	11
JOHNSTON	131	83	29	243	MISSING	21	3	0	24
					TOTAL	10,196	7,829	2,500	20,525

Cumulative Living* HIV/AIDS Reports by County of Residence at First Report

Unduplicated Reports through 12/31/00



COUNTY	HIV Infection	AIDS ONLY	HIV then AIDS	TOTAL	COUNTY	HIV Infection	AIDS ONLY	HIV then AIDS	TOTAL
ALAMANCE	109	33	13	155	JONES	9	2	1	12
ALEXANDER	10	3	3	16	LEE	71	10	12	93
ANSON	35	14	11	60	LENOIR	125	47	42	214
ASHE	1	2	1	4	LINCOLN	26	6	2	34
AVERY	3	4	1	8	MACON	10	5	0	15
BEAUFORT	39	22	4	65	MADISON	5	5	1	11
BERTIE	15	23	9	47	MARTIN	31	10	4	45
BLADEN	28	5	2	35	MCDOWELL	11	8	2	21
BRUNSWICK	34	21	5	60	MECKLENBURG	1,798	348	224	2,370
BUNCOMBE	190	98	57	345	MITCHELL	6	1	0	7
BURKE	27	8	4	39	MONTGOMERY	21	3	4	28
CABARRUS	71	32	12	115	MOORE	52	9	6	67
CALDWELL	26	6	2	34	NASH	103	58	19	180
CAMDEN	5	4	1	10	NEW HANOVER	246	68	36	350
CARTERET	20	10	3	33	NORTHAMPTON	19	15	7	41
CASWELL	6	5	1	12	ONslow	77	36	13	126
CATAWBA	62	23	11	96	ORANGE	101	38	15	154
CHATHAM	27	9	2	38	PAMLICO	7	2	2	11
CHEROKEE	4	1	1	6	PASQUOTANK	38	12	5	55
CHOWAN	14	7	1	22	PENDER	22	13	5	40
CLAY	1	0	0	1	PERQUIMANS	12	4	4	20
CLEVELAND	101	9	14	124	PERSON	36	7	1	44
COLUMBUS	77	17	12	106	PITT	195	112	47	354
CRAVEN	94	32	20	146	POLK	4	10	2	16
CUMBERLAND	533	121	64	718	RANDOLPH	42	9	8	59
CURRITUCK	5	1	1	7	RICHMOND	64	8	11	83
DARE	10	9	3	22	ROBESON	155	47	26	228
DAVIDSON	79	21	14	114	ROCKINGHAM	65	22	8	95
DAVIE	11	9	3	23	ROWAN	82	38	17	137
DUPLIN	44	37	8	89	RUTHERFORD	26	20	3	49
DURHAM	583	189	78	850	SAMPSON	75	14	17	106
EDGECOMBE	105	41	15	161	SCOTLAND	68	12	11	91
FORSYTH	475	145	65	685	STANLY	41	9	3	53
FRANKLIN	33	9	7	49	STOKES	5	5	2	12
GASTON	272	57	47	376	SURRY	16	9	3	28
GATES	1	2	0	3	SWAIN	4	5	1	10
GRAHAM	1	0	1	2	TRANSYLVANIA	11	9	0	20
GRANVILLE	71	20	9	100	TYRRELL	2	1	1	4
GREENE	27	15	15	57	UNION	61	14	13	88
GUILFORD	668	229	112	1,009	VANCE	69	21	14	104
HALIFAX	85	35	17	137	WAKE	776	327	154	1,257
HARNETT	61	25	11	97	WARREN	12	2	4	18
HAYWOOD	17	12	5	34	WASHINGTON	21	13	4	38
HENDERSON	29	29	8	66	WATAUGA	2	4	1	7
HERTFORD	22	19	11	52	WAYNE	111	47	21	179
HOKE	42	17	6	65	WILKES	7	6	2	15
HYDE	1	2	0	3	WILSON	157	40	27	224
IREDELL	37	13	15	65	YADKIN	9	7	2	18
JACKSON	5	7	2	14	YANCEY	6	1	1	8
JOHNSTON	119	32	18	169	Missing	21	2	0	23
					TOTAL	9,268	3,005	1,533	13,806



*Report status = alive; Does not include status = unknown

HIV Disease Case Report Rates (Cases/100,000 population)

County	1999	2000	County	1999	2000
ALAMANCE	18.6	15.2	JOHNSTON	11.6	17.8
ALEXANDER	6.2	3.1	JONES	10.7	0.0
ALLEGHANY	0.0	0.0	LEE	30.5	27.4
ANSON	16.8	8.4	LENOIR	37.8	43.9
ASHE	4.2	0.0	LINCOLN	10.0	4.9
AVERY	25.0	0.0	MACON	3.5	6.8
BEAUFORT	13.6	29.7	MADISON	0.0	5.3
BERTIE	50.3	30.0	MARTIN	23.4	27.4
BLADEN	9.7	9.7	MCDOWELL	4.9	2.4
BRUNSWICK	8.6	9.8	MECKLENBURG	38.3	33.6
BUNCOMBE	20.1	19.3	MITCHELL	0.0	0.0
BURKE	7.1	2.3	MONTGOMERY	8.0	32.1
CABARRUS	7.2	7.3	MOORE	11.1	15.0
CALDWELL	2.6	1.3	NASH	27.0	23.0
CAMDEN	0.0	46.8	NEW HANOVER	28.9	26.9
CARTERET	1.7	3.2	NORTHAMPTON	4.8	19.2
CASWELL	0.0	13.2	ONSLow	6.7	9.3
CATAWBA	4.5	17.1	ORANGE	10.0	15.1
CHATHAM	8.5	6.3	PAMLICO	0.0	16.4
CHEROKEE	8.7	0.0	PASQUOTANK	8.7	27.8
CHOWAN	14.2	13.8	PENDER	12.8	0.0
CLAY	0.0	0.0	PERQUIMANS	27.5	17.9
CLEVELAND	22.7	10.8	PERSON	8.9	5.9
COLUMBUS	26.7	19.0	PITT	26.6	20.5
CRAVEN	25.7	19.7	POLK	11.8	11.7
CUMBERLAND	22.3	21.3	RANDOLPH	6.3	6.2
CURRITUCK	5.7	5.7	RICHMOND	13.3	15.2
DARE	20.8	6.7	ROBESON	25.2	14.7
DAVIDSON	9.8	8.9	ROCKINGHAM	16.7	8.9
DAVIE	6.1	9.2	ROWAN	11.1	9.4
DUPLIN	35.9	13.2	RUTHERFORD	0.0	15.0
DURHAM	35.9	43.0	SAMPSON	12.9	7.3
EDGECOMBE	51.7	29.3	SCOTLAND	17.2	25.4
FORSYTH	42.5	32.0	STANLY	12.5	12.4
FRANKLIN	19.8	6.5	STOKES	0.0	4.4
GASTON	22.0	23.0	SURRY	5.8	1.5
GATES	0.0	0.0	SWAIN	8.1	8.1
GRAHAM	0.0	0.0	TRANSYLVANIA	0.0	17.4
GRANVILLE	24.2	22.3	TYRRELL	0.0	56.1
GREENE	10.9	16.2	UNION	6.1	6.0
GUILFORD	34.3	31.7	VANCE	23.6	11.9
HALIFAX	27.4	16.3	WAKE	26.4	25.7
HARNETT	11.7	8.1	WARREN	5.3	10.9
HAYWOOD	3.8	3.8	WASHINGTON	31.1	23.3
HENDERSON	6.1	7.2	WATAUGA	2.5	2.4
HERTFORD	18.8	51.1	WAYNE	23.9	24.9
HOKE	25.7	16.0	WILKES	1.6	6.2
HYDE	0.0	0.0	WILSON	30.1	38.7
IREDELL	5.9	2.6	YADKIN	5.5	5.4
JACKSON	0.0	3.3	YANCEY	5.9	0.0
			TOTAL	20.4	19.0


Annualized AIDS Case Report Rates (Cases/100,000 population)					
County	1998-99	1999-00	County	1998-99	1999-00
ALAMANCE	4.5	6.0	JOHNSTON	5.0	8.0
ALEXANDER	3.1	1.5	JONES	16.2	11.1
ALLEGHANY	0.0	0.0	LEE	8.2	9.0
ANSON	16.7	18.8	LENOIR	24.8	27.2
ASHE	2.1	2.1	LINCOLN	1.7	1.6
AVERY	12.8	12.6	MACON	3.5	0.0
BEAUFORT	5.7	13.7	MADISON	5.3	0.0
BERTIE	30.1	32.6	MARTIN	13.6	13.7
BLADEN	9.7	4.9	MCDOWELL	6.2	6.1
BRUNSWICK	5.1	5.7	MECKLENBURG	17.0	12.5
BUNCOMBE	12.7	11.8	MITCHELL	0.0	0.0
BURKE	1.8	1.8	MONTGOMERY	6.0	8.0
CABARRUS	5.3	3.2	MOORE	5.6	6.2
CALDWELL	0.7	0.7	NASH	14.7	10.6
CAMDEN	7.4	7.6	NEW HANOVER	8.4	9.8
CARTERET	2.5	1.7	NORTHAMPTON	7.2	4.8
CASWELL	2.2	2.2	ONslow	3.4	3.3
CATAWBA	3.8	5.6	ORANGE	2.7	5.0
CHATHAM	6.4	4.2	PAMLICO	0.0	8.1
CHEROKEE	4.4	4.3	PASQUOTANK	8.6	11.3
CHOWAN	10.7	7.0	PENDER	6.5	3.8
CLAY	0.0	0.0	PERQUIMANS	18.3	13.6
CLEVELAND	4.9	4.3	PERSON	1.5	0.0
COLUMBUS	11.5	10.5	PITT	14.1	16.2
CRAVEN	8.4	8.3	POLK	14.9	5.9
CUMBERLAND	9.2	8.3	RANDOLPH	2.0	2.0
CURRITUCK	5.8	5.7	RICHMOND	6.6	5.5
DARE	12.3	8.5	ROBESON	13.9	10.0
DAVIDSON	3.9	3.1	ROCKINGHAM	6.1	5.0
DAVIE	3.1	6.1	ROWAN	6.8	6.3
DUPLIN	20.3	15.6	RUTHERFORD	2.5	4.1
DURHAM	13.1	10.5	SAMPSON	11.2	8.3
EDGECOMBE	20.2	17.5	SCOTLAND	8.6	9.9
FORSYTH	16.7	18.4	STANLY	5.4	3.5
FRANKLIN	11.1	6.6	STOKES	0.0	1.1
GASTON	13.0	11.0	SURRY	0.7	1.5
GATES	5.0	0.0	SWAIN	16.3	8.1
GRAHAM	0.0	0.0	TRANSYLVANIA	0.0	5.3
GRANVILLE	10.0	8.9	TYRRELL	0.0	13.1
GREENE	41.0	10.9	UNION	3.5	2.2
GUILFORD	18.3	14.7	VANCE	20.2	13.0
HALIFAX	15.4	11.8	WAKE	14.5	15.8
HARNETT	7.1	6.4	WARREN	7.9	5.4
HAYWOOD	1.9	1.0	WASHINGTON	15.4	11.7
HENDERSON	4.9	4.8	WATAUGA	1.2	1.2
HERTFORD	14.1	32.7	WAYNE	15.5	12.2
HOKE	26.2	20.9	WILKES	3.2	3.1
HYDE	0.0	0.0	WILSON	15.1	16.5
IREDELL	5.6	3.4	YADKIN	4.2	2.7
JACKSON	1.7	1.7	YANCEY	0.0	0.0
			TOTAL	10.3	9.5






North Carolina AIDS Rates (annualized)


1996 - 1997





1997 - 1998



1998 - 1999




1999 - 2000



Caution: Some rates presented are based on small numbers and should be interpreted with caution. See additional notes in the Preface.

NC Center for Health Informatics & Statistics

North Carolina HIV Disease Rates



Caution: Some rates presented are based on small numbers and should be interpreted with caution. See additional notes in the Preface.

NC Center for Health Informatics & Statistics